

Diamond®, Nicholson® and Jim Poor Horseshoes and Farrier Tools

High Quality Products Proudly Made in USA



It All Started With Two Employees and One New Idea.

In 1908, with a patented new idea for a drive calk for horseshoes, the Diamond® Calk Horseshoe Company was formed in Duluth, Minnesota. Armed with two employees and a dedication to hard work and quality products, the new company embarked on the beginning of a very successful venture. In 1912, Diamond added a full line of drop-forged horseshoes. Other forged tools were added to meet the demand for quality products during World War I. Diamond continues to be America's premier brand in farrier products. We're the largest supplier of regular, special purpose, mule, pony, and pitching shoes in the world. In all, over 300 shoes and hand tools carry the Diamond name. They are manufactured in the largest forging operation in the country at our North Carolina facility.

Since 1908, discriminating horse owners and suppliers have depended on the Diamond brand for high quality farrier products. Now worldwide in scope, you can continue to rely on Diamond for as long as there are horses.

Now that Diamond is a part of CooperTools, you can buy a full line of farrier tools, horseshoes and nails from one source. In addition to the **Diamond®** products, we offer many fine farrier tools including items from the **Crescent®**, **Nicholson®**, **Lufkin®**, **Wiss®**, **H.K. Porter®** and **Plumb®** brands.

The latest addition to the CooperTools family is the **Jim Poor** line of premium quality farrier tools. These tools were designed for the unique needs of the farrier by one of the top farriers in the world, Jim Poor. Once you have tried them, you will agree that these tools are the best that money can buy.

Diamond, Nicholson and Jim Poor Table of Contents

Contents	Page No.
Miscellaneous Information	3
Diamond Classic Shoes	4
Diamond Special Shoes	5
Bronco Shoes	5 - 6
Hind Shoes	6
Pony Shoes	6
Plain Saddle-light Shoes	6
Rim Shoes	7
Mule Shoes	7
Draft Shoes	7
Toe Weights Shoes	8
Barrel racing Special Shoes	8
Farrier Tools - Diamond/Black Diamond/ Crescent/Lufkin/Nicholson/Plumb/Wiss	8 - 16
Farrier Tools - Jim Poor	16 - 18
Horseshoe Nails	19
Numeric Index	20

CAUTION: Always wear approved eye protection

Competitive Advantage

Diamond, Jim Poor, and Nicholson Farrier Products Have The Competitive Advantage In Value, Quality and Availability.

- **Manufactured in USA**
- **Most complete selection of shoes and tools for the farrier trade**
- **Diamond horseshoes are reworkable, whether cold or reheated**
- **Available through distributors of heavy hardware plus ranch and veterinary supply houses.**

Packaging Information - Horseshoes

- Available by the pound, except for those sold in 10 pair boxes.
 - For ease in handling, stacking and re-distribution, regular
- Horseshoes, Pony and Mule shoes are packed in Diamond Kegs weighing approximately 25 pounds each.
- Toe Weights, Barrel Racing Special, and Draft Shoes are packed 10 per box.

Ordering Information

To find the nearest Distributor or Dealer near you, please call a CooperTools Customer Service Representative -

Phone: (919) 362-1670
Fax: (877) 387-0415


Safety

Farrier tools should be used only for their designed purposes and within their size ranges. The following cautions should always be observed:

1. **Always wear approved eye protection.**
2. Never use nippers, pullers or pliers as hammers or hammer on their handles.
3. Do not extend nipper, puller or plier handle lengths to achieve greater leverage. Use a larger tool.
4. When using a hammer, strike squarely – avoid glancing blows that may cause the edge of the face to slip, possibly resulting in eye or other serious injury. **Never strike with or against the side or cheek of any hammer.**
5. Do not use special purpose hammers for anything but the purposes for which they were intended.
6. **Never use a hammer with a loose or damaged handle.**
7. **Do not misuse tools. Nail Cutting Nipper can chip if used beyond cutting nails - DO NOT PULL OR APPLY EXCESSIVE TORQUE WHILE CUTTING NAILS.**

Classic Shoes

- Nail hole pattern allows more accurate nail placement
- Wide web for increased bearing surface and hoof wall support
- Full 1/8" wide crease permits deep seating of nail head in counter sink without hang-up on crease walls
- Increased inside shoe taper provides added relief from snow and clay build-up
- Precision spaced and punched nail holes
- Lightweight for reduced fatigue
- 10° crease draft gives more control over slant when following draft of foot and hoof
- Longer creases for improved traction



Classic Plain



Size/Cat. No.	UPC No.	Length (Inches)	Width (Inches)	Approx. Wgt. Each (oz.)
DC000	043127100987	4 13/32	4	6.7
DC00	043127100338	4 23/32	4 9/32	7.7
DC0	043127100345	4 15/16	4 5/8	8.7
DC1	043127100352	5 9/32	4 13/16	10.0
DC2	043127100369	5 5/8	5 1/8	11.1
DC3	043127100376	6 5/32	5 9/16	14.3

Classic Heeled



Size/Cat. No.	UPC No.	Length (Inches)	Width (Inches)	Approx. Wgt. Each (oz.)
DC000H	043127100970	4 13/32	4	6.9
DC00H	043127100208	4 23/32	4 9/32	8.0
DC0H	043127100215	4 15/16	4 5/8	9.1
DC1H	043127100222	5 9/32	4 13/16	10.5
DC2H	043127100239	5 5/8	5 1/8	11.8

Classic Toed and Heeled



Size/Cat. No.	UPC No.	Length (Inches)	Width (Inches)	Approx. Wgt. Each (oz.)
DC00TH	043127066948	4 23/32	4 9/32	8.3
DC0TH	043127100093	4 15/16	4 5/8	9.5
DC1TH	043127100109	5 9/32	4 13/16	11.1
DC2TH	043127100116	5 5/8	5 1/8	12.5

Special Shoes

- Rounder shape than Diamond Classic shoes to give "fuller fit"
- Wider web provides more hoof wall support and protection to hoof
- Cleaner nail holes and smoother bearing surfaces for easier shoeing
- Precision hole pattern allows accurate nail placement
- Increased inside taper provides additional relief from snow and clay build-up
- Easily worked cold to fit either front or hind hooves

Special Plain

Size/Cat. No.	UPC No.	Length (Inches)	Width (Inches)	Approx. Wgt. Each (oz.)
DS000	043127101038	4 7/16	4 1/16	7.4
DS00	043127100994	4 3/4	4 3/8	8.3
DS0	043127101007	5	4 11/16	9.1
DS1	043127101014	5 9/32	4 15/16	10.5
DS2	043127101021	5 5/8	5 3/16	12.5
DS3	043127101045	6 5/32	5 5/8	15.4
DS4	043127101052	6 5/8	6 1/16	18.2
DS5	043127101069	7 1/4	6 1/2	22.2



Bronco Shoes

- Choice of three popular, ready-to-nail patterns
- Diamond heel and toe calks are forged—not welded
- Perfectly balanced and accurately shaped to fit average horse's foot without alteration
- Nail hole pattern allows more accurate nail placement
- Correctly tapered nail holes are precision punched and spaced
- Designed to fit both front and hind feet
- Inside taper reduces snow and clay build-up on bottom of horse's foot

Plain Bronco

Size/Cat. No.	UPC No.	Length (Inches)	Width (Inches)	Approx. Wgt. Each (oz.)
000PLAIN	043127100253	4 13/32	3 5/8	7.1
00PLAIN	043127100277	4 23/32	4 9/32	8.7
0PLAIN	043127100291	4 15/16	4 5/8	9.5
1PLAIN	043127100307	5 9/32	4 13/16	11.1
2PLAIN	043127100314	5 5/8	5 1/8	13.3
3PLAIN	043127100321	6 5/32	5 9/16	16.7



Heeled Bronco

Size/Cat. No.	UPC No.	Length (Inches)	Width (Inches)	Approx. Wgt. Each (oz.)
000H	043127067037	4 13/32	3 5/8	7.4
00H	043127100147	4 23/32	4 9/32	9.1
0H	043127067020	4 15/16	4 5/8	10.0
1H	043127100161	5 9/32	4 13/16	11.8
2H	043127100178	5 5/8	5 1/8	14.3
3H	043127100185	6 5/32	5 9/16	18.2
4H	043127100192	6 5/8	6	22.2



Toed and Heeled Bronco



Size/Cat. No.	UPC No.	Length (Inches)	Width (Inches)	Approx. Wgt. Each (oz.)
00TH	043127100024	4 23/32	4 9/32	9.5
0TH	043127100031	4 15/16	4 5/8	10.5
1TH	043127100048	5 9/32	4 13/16	12.5
2TH	043127100055	5 5/8	5 1/8	15.4
3TH	043127100062	6 5/32	5 9/16	20.0
4TH	043127100079	6 5/8	6	25.0

Specialty Shoes - Hind

IMPROVED!
New Bevel

- Designed to fit the majority of hind feet with little or no modification
- Nail holes right where they need to be
- Beveled for sole relief
- Clipped heels to minimize buildup, but still offer maximum support
- Packed in 25 lb. boxes



Size/Cat. No.	UPC No.	Length (Inches)	Width (Inches)	Approx. Wgt. Each (oz.)
00HIND	043127122675	4 3/4	4 3/8	8.5
0HIND	043127122682	5 1/8	4 3/4	9.5
1HIND	043127122699	5 3/8	4 7/8	10.5

Specialty Shoes - Pony

- Forged from special steel (like the regular horseshoe) to give long wear
- Six properly spaced nail holes fit the average pony hoof



Size/Cat. No.	UPC No.	Length (Inches)	Width (Inches)	Approx. Wgt. Each (oz.)
0PONY	043127100383	3 3/4	3 5/16	5.0
1PONY	043127100406	4 1/16	3 7/16	5.3

NOTE: For No. 2 Pony shoe, use Diamond 000 plain horseshoe.

Specialty Shoes - Plain Saddle-light

- Ready to put on
- Specially designed for quarter horses requiring lightweight shoes
- Ideal for frequently-shod riding horses
- May be easily reworked



Size/Cat. No.	UPC No.	Length (Inches)	Width (Inches)	Approx. Wgt. Each (oz.)
S000PSL	043127100437	4 1/4	4	6.3
S00PSL	043127100444	4 1/2	4 1/8	7.0
S0PSL	043127100451	4 3/4	4 9/32	7.7
S1PSL	043127100482	5	4 21/32	9.3
S2PSL	043127100499	5 3/8	4 13/16	10.1

Specialty Shoes - Rim

- Popular choice for cutting, roping, barrel racing, pleasure, polo, or jumping
- Deep, self-cleaning crease designed for positive grip

Size/Cat. No.	UPC No.	Length (Inches)	Width (Inches)	Approx. Wgt. Each (oz.)
00RIM	043127100529	4 1/2	4 1/8	8.8
0RIM	043127100536	4 3/4	4 9/32	9.0
1RIM	043127100543	5	4 5/8	10.9
2RIM	043127100550	5 3/8	4 25/32	11.3



Specialty Shoes - Mule

- Plain or heeled styles forged in Southern (light mule) pattern
- Well balanced and accurately shaped
- Heel calks formed as integral part of shoe during forging
- Manufactured from special steel for long wear
- Designed to fit both front and hind feet and can be reworked whether cold or reheated

Before ordering mule shoes, check size dimensions.

Size/Cat. No.	UPC No.	Length (Inches)	Width (Inches)	Approx. Wgt. Each (oz.)
Plain Mule Shoes				
2MULE	043127100567	5 1/8	4	9.9
3MULE	043127100574	5 1/2	4 1/4	13.0
Heeled Mule Shoes				
2HMULE	043127100581	5 1/8	4	11.0
3HMULE	043127100598	5 1/4	4 1/4	13.6



Specialty Shoes - Draft

- Forged, punched and creased for easy application
- Reworkable to form smaller sizes
- Heels can be turned up or cut off
- Beveled on inside for relief of snow or clay

Size/Cat. No.	UPC No.	Length (Inches)	Width (Inches)	Thickness (Inches)	Approx. Wgt. Each	No. Packed Per Box
6DRAFT	043127100604	9 1/2	6 1/2	1/2	2 lbs. 9 oz.	10 pr.
8DRAFT	043127100611	9 7/8	7 1/8	1/2	3 lbs.	10 pr.




Specialty Shoes - Toe Weights



- Designed for Tennessee walking horses or other breeds requiring extra weights
- Forged with countersunk nail holes and weight at the toe
- Sizes 1 and 2 have three nail holes on each side, size 3 has four

Size/Cat. No.	UPC No.	Length (Inches)	Width (Inches)	Thickness (Inches)	Approx. Wgt. Each (oz.)	No. Packed Per Box
1TW	043127100758	5 1/4	4 1/2	1 1/4 x 3/8	15.0	10 pr.
2TW	043127100765	5 3/4	4 7/8	1 3/8 x 3/8	18.0	10 pr.
3TW	043127100772	6 1/8	5 1/4	1 3/8 x 7/16	20.3	10 pr.

Specialty Shoes - Barrel Racing Special



- Specially designed for barrel racing and traction
- High outside edge assures positive gripping for fast turns

Size/Cat. No.	UPC No.	Length (Inches)	Width (Inches)	Approx. Wgt. Each (oz.)	No. Packed Per Box
00BRS	043127100710	4 1/4	4 1/8	5.8	10 pr.
0BRS	043127100727	4 3/4	4 1/4	6.0	10 pr.
1BRS	043127100734	5	4 5/8	6.6	10 pr.
2BRS	043127100741	5 3/8	4 13/16	7.5	10 pr.

Diamond Farrier Nippers



- Professional quality
- Precision manufactured from special alloy steel with button rivet

Cat. No.	UPC No.	Size (Inches)	Packed Per Box	Weight Each
FN12	043127101717	12	1	1 lb. 6 oz.
FN15	043127101731	15	1	1 lb. 12 oz.

CAUTION: Always wear approved eye protection

Diamond Nail Cutting Nippers

- Improved beveled cutting angle provides more strength
- 10" handle for increased leverage
- Developed specifically for cutting horseshoe nails
- Full polished head with wide throat clearance engineered to allow close cutting

Cat. No.	UPC No.	Size (Inches)	Packed Per Box	Weight Each
N10	043127101755	10	1	8 oz.



NEW AND IMPROVED!



NEW

OLD

Diamond Hoof Nippers

- Economy model
- Forged from high quality steel with heat-treated jaws and handles
- Sharp cutting edges are hardened, honed and flush ground
- Chrome plated with polished head and plastic coated handles

Cat. No.	UPC No.	Size (Inches)	Packed Per Box	Weight Each
14D	043127101779	14	1	2 lbs.



Crescent Nail Nippers

- Designed with wide throat clearance and high handle leverage
- Jaws angled for ease in cutting close to flat surfaces
- Forged from high strength alloy steel for increased jaw and handle strength

Cat. No.	UPC No.	Size (Inches)	Packed Per Box	Weight Each
728CV *	037103463005	8	6	14 oz.
729CV *	037103467669	9	6	16 oz.


* Plastic grips and carded.




Diamond Combination Shoe Puller / Spreader

- Has exclusive pattern with sharp teeth on outside edges for ease in spreading most shoe sizes and styles
- Can also be used for cutting nails
- Round knobs on handle ends make selection easy
- Button rivet construction

Cat. No.	UPC No.	Size (Inches)	Packed Per Box	Weight Each
SP12D	043127066993	12	1	1 lb. 8 oz.



EXTERIOR TEETH



CAUTION: Always wear approved eye protection

Diamond Crease Nail Puller



- For removal of nails from crease of shoes that have been on horse for some time
- An essential tool for removal of misdriven nails from new shoes
- Precision forged from high quality tool steel for long life
- Button rivet construction with polished head

Cat. No.	UPC No.	Size (Inches)	Packed Per Box	Weight Each
NP12	043127101816	12	1	1 lb.

Diamond Farrier Tongs



- Manufactured from special low carbon steel for lasting strength
- Will not become brittle when quenched in water
- Ideal for handling average size shoes

Cat. No.	UPC No.	Size (Inches)	Packed Per Box	Weight Each
FT15	043127101793	15	5	1 lb.

Black Diamond Horse Rasp



- Designed for *aggressive use*:
 - Rough side creates more tooth contact per stroke
 - Smooth side allows for aggressive, but controlled hoof removal
- Resists clogging due to the angled tooth face

Cat. No.	UPC No.	Description	Packed Per Box
18156N	037103134172	14" Horse Rasp	6

Nicholson® Horse Rasps



#18130



#18155



#18180

- All have rasp teeth one side and file teeth on other side—single cut on edges
- Rasp teeth cut 6 teeth per row
- #18130 boasts the Nicholson unique Magicut® file pattern of narrow chip breakers created by steep and angled serrations

Cat. No.	UPC No.	Description	Packed Per Box
HR14	037103181770	14" Horse Rasp/File	6
18130	037103181305	14" Plater's Magicut Rasp/File	6
18157	037103181572	14" Plater's Rasp/File	6
18155	037103181558	14" Farrier's Handy Rasp/File	5
18180	037103181800	18" Draft Horse Rasp/File	6

CAUTION: Always wear approved eye protection

Nicholson Hoof Knife Sharpening File

- Specially designed to sharpen hoof knives
- Contoured to sharpen the entire knife, even the hook end
- Single cut 2 sides
- 2 cut round edges

Cat. No.	UPC No.	Description	Packed Per Box
10626	037103106261	8" Hoof Knife Sharpening File	12



Nicholson Horse Rasp - 1/2 File

- Plain horse rasps are double ended; rasp teeth on one side, file teeth on other
- Many farriers prefer this rasp for shoeing racetrack and riding horses

Cat. No.	UPC No.	Description	Packed Per Box
17873	037103178732	12" Double-ended Horse Rasp/File	6
17903	037103179036	14" Double-ended Horse Rasp/File	6
18005	037103180056	18" Slim Plater's D.E. Horse Rasp/File	6



#17873

Nicholson Horse Rasps - Tanged

- Tanged horse rasps are the same as plain horse rasps in tooth design
- Rasp teeth on one side (5 teeth per row) and file teeth on other
- Single-cut on edges

Cat. No.	UPC No.	Description	Packed Per Box
18035	037103180353	12" Tanged Horse Rasp/File	6
18057	037103180575	14" Tanged Horse Rasp/File	6



#18035

Nicholson 4-in-Hand® Rasp/File

- Four files in one - File section and a rasp section on flat side - file section and rasp section on half round side

Cat. No.	UPC No.	Description	Packed Per Box
18962	037103189622	10" 4-in-Hand Rasp/File	6



CAUTION: Always wear approved eye protection

Nicholson Half Round Horseshoe Files



#05190



#20715

- Half round shape to work inside and outside the shoe
- # 05190 ideal for filing steel shoes; # 20715 for aluminum shoes

Cat. No.	UPC No.	Description	Packed Per Box
05190	037103051905	14" Half Round Pipeliner File	6
20715	037103207159	14" Aluminum Horseshoe File	6

Nicholson Handy File



- One side is single cut for smoothing surfaces
- Reverse side is double cut for general filing and rapid stock removal
- Cut edge - 1 safe edge

Cat. No.	UPC No.	Description	Packed Per Box
06601	037103066015	8" Handy File	6

Nicholson Accessories



#TG4



#21458



#21516

- Handles for tanged rasps and files
- Drive-on and screw-on styles available
- # 21458 file cleaning card for general cleaning of file teeth and for improving the life of any rasp or file

Cat. No.	UPC No.	Description	Packed Per Box
21470	037103214706	Farrier Rasp Handle, Size 000	12
TG4	037103213952	Screw-on Handle for 14" Rasp	12
21458	037103214584	10" File & Rasp Cleaner	10
21516	037103215161	Plastic Screw-on Handle	12

CAUTION: Always wear approved eye protection

Diamond Clinchers

- Four models forged from high quality steel. Button rivet construction
- **Farrier Clincher (FC12)**—designed to roll over high and low nails. Downward push with rolling action clinches nail
NOTE: Tool should not be squeezed when clinching nail
- **Saddle Horse Clincher (HC12)**—for use on larger nails in saddle horse hoofs
- **Gooseneck Clincher (PC12)**—turns heads of smaller nails when shoeing ponies and race horses

Cat. No.	UPC No.	Size (Inches)	Packed Per Box	Weight Each
FC12	043127101823	12	1	1 lb.
HC12	043127101830	12	1	1 lb. 1 oz.
PC12	043127101847	12	1	1 lb. 2 oz.



#FC12



#HC12



#PC12

Diamond Clinch Cutter

- High quality steel forging
- Beveled on outside edge only. Flush inside edge allows close cutting
- An all purpose tool with one end designed for cutting and the other for pritchel

Cat. No.	UPC No.	Length (Inches)	Width (Inches)	Packed Per Box	Weight Each
C7	043127102042	6	2 3/4	6	12 oz.



Diamond Clinch Block

- Solid steel for clinching and seating nails

Cat. No.	UPC No.	Size (Inches)	Packed Per Box	Weight Each
CB4	043127102080	4	6	10 lb. 6 oz.



CAUTION: Always wear approved eye protection

Diamond Fence Tool



#193410V

- For wood and steel posts on ranch or farm
- Heavy-duty lockjoint construction with oval faced jaws
- Starting and pulling point on one jaw with corrugated hammer head on the other
- Front pulls staples, lifts lugs, and splices wires—wire stretcher behind joint
- Wire cutter on each side of head cuts double strand barbed wire
- High polished head with gun metal finish
- Handles orange plastic coated

Cat. No.	UPC No.	Size (Inches)	Packed Per Box	Weight Each
193410V	037103088147	10	6	1 lb. 8 oz.
193410CV *	037103088130	10	6	1 lb. 8 oz.

* Cushion grip; both items are carded

Lufkin® Measuring Tapes

- Cat. # W928 durable chrome case helps resist extreme forging temperatures



#KR613



#W616BO



#W928



#86

Cat. No.	UPC No.	Description	Packed Per Box
KR613	037103440549	3 ft. Key Ring tape	6
W616BO	037103028624	1/4" x 6' Hi-viz® Pocket Tape	6
W928	037103458728	1/2" x 8' Chrome Pocket Tape	6
86	037103452825	2 ft. Steel Folding Blacksmith's Rule 12	

Diamond Hoof Knives



#271



#280

- High quality American Made steel blades
- Two blade widths—# 271 is narrow; # 280 is wide
- Choice of right or left hand blades. **Specify when ordering**

Cat. No.	UPC No.	Size (Inches)	Packed Per Box	Weight Each
271R	043127102097	8	10	3 oz.
271L	043127102103	8	10	3 oz.
280R	043127102110	8	10	3.5 oz.
280L	043127102127	8	10	3.5 oz.

Note: Suffix "R" indicates right hand blade and "L" left hand.

CAUTION: Always wear approved eye protection

Frost Hoof Knives

- High quality Swedish steel blades
- Two blade widths—# 171 is narrow; # 180 is wide
- Choice of right or left hand blades. **Specify when ordering**

Cat. No.	UPC No.	Size (Inches)	Packed Per Box	Weight Each
171L	043127102134	8	10	3 oz.
171R	043127102141	8	10	3 oz.
180L	043127102158	8	10	3.5 oz.
180R	043127102165	8	10	3.5 oz.

Note: Suffix "R" indicates right hand blade and "L" left hand.



Diamond Pritchel

- Manufactured from high quality 5/8" tool steel
- Clears shoe nail holes
- New flat design

Cat. No.	UPC No.	Size (Inches)	Packed Per Box	Weight Each
P12D	043127102172	12	12	14 oz.



Wiss Pad Cutter

- Ideal for cutting plastic and leather hoof pads
- Compound action, serrated jaws, safety latch and yellow vinyl comfort grips

Cat. No.	UPC No.	Length (Inches)	Cut Length (Inches)	Packed Per Box	Weight Each
MPC3	037103580221	9	1 3/8	6	12 oz.



Diamond Specialty Hammers

Rounding Hammers

- Perfectly balanced; one round, crowned face, one flat
- Faces beveled to reduce possibility of chipping
- Hardwood handles

Driving Hammers

- Forged from high quality steel
- The most useful farrier hammer available
- Hardwood handles

Cat. No.	UPC No.	Description	Packed Per Box
60	043127101861	24 oz. Rounding Hammer	4
61B	043127101892	36 oz. Rounding Hammer	4
FH10	043127101878	10 oz. Race Track Driving Hammer	6
FH14	043127066955	14 oz. Farrier Driving Hammer	6



#61B



#FH10

CAUTION: Always wear approved eye protection

Plumb Hammers



#11498



#11527




#11523

- Quality steel forgings hardened and tempered
- Black enamel finish with polished face
- Select quality hickory handle

Cat. No.	UPC No.	Description	Packed Per Box
11496	037103114969	8 oz. Ball Pein Hammer-Wooden Handle	6
11497	037103114976	12 oz. Ball Pein Hammer-Wooden Handle	6
11498	037103114983	16 oz. Ball Pein Hammer-Wooden Handle	6
11520	037103115201	24 oz. Ball Pein Hammer-Wooden Handle	6
11521	037103115218	32 oz. Ball Pein Hammer-Wooden Handle	6
11527	037103115270	2 1/2 lbs. Double Face Engineer Hammer	6
11528	037103115287	3 lbs. Double Face Engineer Hammer	6
11529	037103115294	4 lbs. Double Face Engineer Hammer	6
11523P	037103115232	2 lbs. Blacksmith Hammer	6
11524	037103115249	2 1/2 lbs. Blacksmith Hammer	6
11525P	037103115256	3 lbs. Blacksmith Hammer	6

Plastic Hoof Pads



- For use between shoe and hoof
- Molded from special, natural color polyurethane
- Long wearing, non-absorbent and not affected by weather or moisture
- Can be reused and is easily trimmed to fit any size hoof
- Size is 6 1/2" x 6" x 1/8" thick

Cat No.	UPC No.	Description	Shipping Wgt. Per Box	Packed Per Box
66	043127102264	Hoof Pad	5 lbs.	10 Pr.

Jim Poor Driving Hammers



#JPDH8



#JPDH10

- Octagonal shaped nose with checkered, non-slip face
- Sharp cutting edges on the claws for easy wringing
- Drop-forged from alloy steel
- Custom designed hickory handle

Cat No.	UPC No.	Description	Packed Per Box	Weight Each
JPDH8	043127096686	8 oz. Driving Hammer	1	10.5 oz.
JPDH10	043127096693	10 oz. Driving Hammer	1	11.5 oz.

CAUTION: Always wear approved eye protection

Diamond/Plumb/Jim Poor

Jim Poor Rounding Hammer

- Perfectly balanced; one rounded face, one flat
- Drop-forged from alloy steel
- Extra long hickory handle

Cat No.	UPC No.	Description	Packed Per Box	Weight Each
JPRH1	043127096709	28 oz. Rounding Hammer	1	1 lb. 14 oz.



#JPRH1

Jim Poor Crosspein Hammer

- Perfectly balanced to eliminate “top heavy” feeling
- Ideal for use in pulling clips
- Drop-forged from alloy steel
- Extra long hickory handle

Cat No.	UPC No.	Description	Packed Per Box	Weight Each
JPCH1	043127096716	28 oz. Crosspein Hammer	1	2 lb.



#JPCH1

Jim Poor Creaser

- Makes an accurately angled crease in handmade shoes
- Drop-forged from shock resistant tool steel
- Can be easily modified for left hand use
- Unique hickory handle with keeper

Cat No.	UPC No.	Description	Packed Per Box	Weight Each
JPC1	043127096839	Creaser	1	12 oz.



Jim Poor Replacement Handles

- **JPRHH:** Replacement for JPRH1 and JPCH1 (includes metal wedge)
- **JPDHH:** Replacement for JPDH8 and JPDH10 (includes brass rivets)
- **JPCH:** Replacement for JPC1 (includes keeper)

Cat No.	UPC No.	Description	Packed Per Box	Weight Each
JPRHH	043127096822	Replacement Handle	4	4 oz.
JPDHH	043127096815	Replacement Handle	4	4 oz.
JPCH	043127096846	Replacement Handle	4	6 oz.



#JPRHH



#JPDHH



#JPCH

CAUTION: Always wear approved eye protection

Jim Poor Farrier Tong



- Professionally sized - specifically hand set for the size indicated
- Drop-forged from alloy steel for lasting strength
- Larger depression in jaw provides more grip and holding power

Cat No.	UPC No.	Size (Inches)	Packed Per Box	Weight Each
JPFT1	043127096662	1/4	1	1 lb. 6 oz.
JPFT2	043127096648	5/16	1	1 lb. 6 oz.
JPFT3	043127096655	3/8	1	1 lb. 6 oz.
JPFT4	043127096624	1/2	1	1 lb. 6 oz.
JPFT5	043127096631	5/8	1	1 lb. 6 oz.
JPFT6	043127096679	7/16	1	1 lb. 6 oz.

Jim Poor Hoof Nippers



- A professional tool at an affordable price
- Solid feeling and well balanced to achieve the best possible trim with little effort
- Precision machined to last and last

Cat. No.	UPC No.	Size (Inches)	Packed Per Box	Weight Each
JPFN14	043127128110	14 1/2	1	1 lb. 10 oz.

Jim Poor Clinch Cutter



- Beveled on outside edge only. Flush inside edge allows close cutting
- Long lasting heat treated cutting surface
- Drop-forged from alloy steel
- Waffle pattern handle for added grip
- Comes in reusable pouch

Cat. No.	UPC No.	Length (Inches)	Width (Inches)	Packed Per Box	Weight Each
JPCC1	043127096808	2 5/16	3/4	4	8 oz.

Jim Poor Pritchel



- Individually forged on open die hammer
- Working ends are hand forged for strength and sharpness
- 12" length with sufficient weight to receive snapping blows

Cat. No.	UPC No.	Size (Inches)	Packed Per Box	Weight Each
JPP1	043127104039	12	4	14 oz.

CAUTION: Always wear approved eye protection

Capewell Nails

- Manufactured from the highest quality steels under carefully monitored production procedures
- Uniformly tempered to give optimum elasticity while preserving material strength and specifications
- Designed and formed to permit easy, accurate driving



Catalog Number	UPC Number	Size and Description	Nails Per Box	Boxes Per Case	Nails Per Pound	Pounds Per Case (Approx.)
312RACE250	753467100027	3 1/2 Race Nail	250	32	326	25
4RACE100	753467100034	4 Race Nail	100	32	266	12
412RACE100	753467100058	4 1/2 Race Nail	100	32	235	14
5CITYSLIM	753467100119	5 City Slim Nail	100	32	184	17
5CITYC100	753467100140	5 City Head Nail	100	32	170	19
5CITYC250	753467100157	5 City Head Nail	250	16	170	24
5CITYC500	753467100164	5 City Head Nail	500	8	170	24
6CITYC	753467100171	6 City Head Nail	100	16	136	12
5REGC	753467100232	5 Reg. Head Nail	100	16	153	10
6REGC	753467100256	6 Reg. Head Nail	100	16	127	13
7REGC	753467100270	7 Reg. Head Nail	100	16	107	15
8REGC100	753467100294	8 Reg. Head Nail	100	16	81	20
5PLATERSSP	753467100348	5 Plater's Special Nail	250	32	206	16

Mustad Nails

- Slimmer, sleeker shank drives easier and safer
- Reinforced, tapered head fits properly in most standard shoes
- New head ribbing allows easy identification of inner side
- Sharper beveled points for easy hoof wall exit
- Proper stiffness for straight accurate driving without bending, while clinching easily after wall exit for firm holding



Catalog Number	UPC Number	Size and Description	Nails Per Box	Boxes Per Case	Nails Per Pound	Pounds Per Case (Approx.)
412CITYM100	753467200178	4 1/2 City Head Nail	100	32	193	17
5CITYM100	753467200192	5 City Head Nail	100	32	166	19
5CITYM250	753467200208	5 City Head Nail	250	16	166	24
6CITYM100	753467200222	6 City Head Nail	100	16	125	13
5CITYCOMBO	753467200116	5 City Head Combo	250	16	174	23
5REGM100	753467200260	5 Reg. Head Nail	100	16	166	10
6REGM100	753467200284	6 Reg. Head Nail	100	16	125	13
7REGM	753467200307	7 Reg. Head Nail	100	16	102	16

CAUTION: Always wear approved eye protection

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
000H	5	1TW	8	C7	13	P12D	15
000PLAIN	5	20715	12	CB4	13	PC12	13
00BRS	8	21458	12	DC0	4	S000PSL	6
00H	5	21470	12	DC00	4	S00PSL	6
00HIND	6	21516	12	DC000	4	S0PSL	6
00PLAIN	5	271L	14	DC000H	4	S1PSL	6
00RIM	7	271R	14	DC00H	4	S2PSL	6
00TH	6	280L	14	DC00TH	4	SP12D	9
05190	12	280R	14	DC0H	4	TG4	12
06601	12	2BRS	8	DC0TH	4	W616BO	14
0BRS	8	2H	5	DC1	4	W928	14
0H	5	2HMULE	7	DC1H	4		
0HIND	6	2MULE	7	DC1TH	4		
0PLAIN	5	2PLAIN	5	DC2	4		
0PONY	6	2RIM	7	DC2H	4		
0RIM	7	2TH	6	DC2TH	4		
0TH	6	2TW	8	DC3	4		
10626	11	312RACE250	19	DS0	5		
11496	16	3H	5	DS00	5		
11497	16	3HMULE	7	DS000	5		
11498	16	3MULE	7	DS1	5		
11520	16	3PLAIN	5	DS2	5		
11521	16	3TH	6	DS3	5		
11523P	16	3TW	8	DS4	5		
11524	16	412CITYM100	19	DS5	5		
11525P	16	412RACE100	19	FC12	13		
11527	16	4H	5	FH10	15		
11528	16	4RACE100	19	FH14	15		
11529	16	4TH	6	FN12	8		
14D	9	5CITYC100	19	FN15	8		
171L	15	5CITYC250	19	FT15	10		
171R	15	5CITYC500	19	HC12	13		
17873	11	5CITYCOMBO	19	HR14	10		
17903	11	5CITYM100	19	JPC1	17		
18005	11	5CITYM250	19	JPCC1	18		
18035	11	5CITYSLIM	19	JPCH	17		
18057	11	5PLATERSSP	19	JPCH1	17		
180L	15	5REGC	19	JPDH10	16		
180R	15	5REGM100	19	JPDH8	16		
18130	10	60	15	JPDHH	17		
18155	10	61B	15	JPFN14	18		
18156N	10	66	16	JPFT1	18		
18157	10	6CITYC	19	JPFT2	18		
18180	10	6CITYM100	19	JPFT3	18		
18962	11	6DRAFT	7	JPFT4	18		
193410CV	14	6REGC	19	JPFT5	18		
193410V	14	6REGM100	19	JPFT6	18		
1BRS	8	728CV	9	JPP1	18		
1H	5	729CV	9	JPRH1	17		
1HIND	6	7REGC	19	JPRHH	17		
1PLAIN	5	7REGM	19	KR613	14		
1PONY	6	86	14	MPC3	15		
1RIM	7	8DRAFT	7	N10	9		
1TH	6	8REGC100	19	NP12	10		